

ERME



**MECHANIZATION OF
GARLIC GROWING**

WWW.ERME-FRANCE.COM



GARLIC & ONION PNEUMATICAL PLANTERS



PLPS3



**« SOLUTIONS ADAPTED TO YOUR NEEDS,
INNOVATING SYSTEMS TO OPTIMISE PRECISION AND
THE GAIN OF PLANTING TIME,
EASY & FAST NO TOOL DISC CHANGE , ACCORDING TO THE CLOVE GRADE. »**



SINGLE ROW PLANTERS



PLPS5



PLPS9

- Type: PLPS
- Number of rows: 1 to 12 single rows
- Single common hopper or individual: $\pm 75\text{kg}/\text{row}$
- Each planting disc has 24 holes. Provided with the machine a choice of 3 discs from sizes: 8,10,12,14,17mm
- A vibrator per row to increase the precision.
- Adjustable planting density due to central gear box (standard 7 to 16 cloves/m)
- Minimum distance between rows: 35cm (garlic standards 45cm)
- Tractor PTO shaft speed 450rpm.
- Nominal speed: 2.5Km/h up to 3.5Km/h according to the density.



	3 ROWS	4 ROWS	5 ROWS	6 ROWS	8 ROWS
LENGTH	2.00m	2.00m	2.00m	2.00m	2.00m
WIDTH	2.20m	2.40m	2.85m	3.30m	4.30m
WIDTH	1.70m	1.70m	1.70m	1.70m	1.70m
MASSE	900kg	1050kg	1200kg	1500kg	2100kg



DOUBLE ROW PLANTERS




PLPD6



- Type: PLPD
- Number of rows: 1 to 6 double rows
- Single common hopper or individual: $\pm 75\text{kg}/\text{row}$
- Each planting disc has 24 holes. Provided with the machine a choice of 3 discs from sizes: 8,10,12,14,17mm
- A vibrator per row to increase the precision
- Adjustable planting density due to central gear box (standard 14 to 32 cloves/m)
- Minimum distance between rows: 40cm (garlic standards 45cm)
- Tractor PTO shaft speed 450rpm
- Nominal speed: 2.5Km/h up to 3.5Km/h according to the density



	3 ROWS	4 ROWS	5 ROWS	6 ROWS
LENGTH	2.00m	2.00m	2.00m	2.00m
WIDTH	2.20m	2.55m	3.15m	3.50m
WIDTH	1.70m	1.70m	1.70m	1.70m
MASSE	1000kg	1300kg	1600kg	1900kg






OPTION
Cabin planter controller



OPTION
Liquid spraying system



OPTION
Insecticide micro granulator
Tractor wheel markers (mechanical/
hydraulic)



Central gear box for density
choice



Easy hopper emptying
flap



OPTION
Reinforced chassis with parallelogram
frame for multi bed machines



OPTION
Special 25cm spacing equipment for onions



Rear soil scrapers for double
rows

ÉTUDES ET RÉALISATION DE MATÉRIELS ET D'ÉQUIPEMENTS

32730 Montégut-Arros / FRANCE / Tél. 00 33 (0) 562 648 613 - Fax. 00 33 (0) 562 648 058
contact@erme-france.com / www.erme-france.com / www.massot-trailer.com

